



Namibia Civil Aviation Authority
Air Navigation Services
Aeronautical Information Management

Daily NOTAM
Bulletin

Version Date:
 24 April 2023

AIM SSI-001 F-03

Version 8

Tel: +264-61-702080/7
 Fax: +264- 886561134
 E-mail: aim@ncaa.na

Website: www.ncaa.com.na

NAMIBIA CIVIL AVIATION AUTHORITY
 Private Bag 12003
 Ausspannplatz
 Windhoek
 Namibia

DAILY NOTAM BULLETIN

<https://www.ncaa.com.na/index.php/document-downloads/other-categories/notam>
 Enquiries: AIMO Our Ref: NTMS 2015 Date: 9th July 2026

LOCATION	NBR/YR	FROM	TO	TEXT
FYGF	A0300/26	2606301039	2607202200	GFV FREQ 115.7 MHZ U/S.
FYGF	B0081/26	2604081306	2607081800	MET OFFICE OPR HR: MON - FRI: 0300-1900 SAT - SUN: 0400-1300
FYKM	B0142/26	2607081828	2607131600	NIL ATC
FYKM	B0141/26	2607070657	2607091400	NIL MET INFO AVBL.
FYKM	B0139/26	2607051246	2607081500	TWR UNMANNED
FYKM	B0108/26	2605301218	2608312359	TWR OPR HR: MON, WED, FRI AND SUN: 0800-1500 TUE AND SAT: NIL ATC THU: 0730-1430
FYKT	B0125/26	2606190902	2609191800	NIL MET INFO AVBL.
FYKT	B0098/26	2605110954	2608111500	AD OPR HR: MON-FRI: 0600-1500 SAT: CLSD (EMERG OPR ONLY). SUN AND PUBLIC HOLIDAY: CLSD (EMERG OPR ONLY) 24HR NOTIFICATION FOR AFT HR FLT OPR EXC MEDEVAC. AFTER HR OPR CONTACT MR. JEREMIA MUKOYA TEL: +264812166714 EMAIL: MUKOYAJ(A)AIRPORTS.COM.NA
FYKT	A0155/26	2604101012	2607081700	KTV VOR/DME FREQ 112.9MHZ ON CH 76X U/S.
FYKT	B0080/26	2604081304	2607081800	MET OFFICE OPR HR: MON - FRI: 0300-1900 SAT - SUN: 0400-1300
FYLZ	B0140/26	2607060600	2607101500	TWR OPR HR: MON-FRI: 0600-1000 AND 1100-1500
FYLZ	B0124/26	2606190600	2607201500	NIL AVGAS.
FYLZ	B0122/26	2606091108	2609092200	TEMPO CRANE ERECTED IN THE VCY OF FYLZ DEFINED BY THE FLW COORD 264439.76S0150957.04E

				264438.14S0151015.13E 264436.55S0151032.97E 264434.95S0151051.00E 264431.45S0151108.85E 264526.99S0151049.48E 264524.64S0151117.45E GND-1000FT AMSL
FYLZ	A0237/26	2605261423	2607311500	WDI U/S.
FYLZ	A0192/26	2604291418	2607292359 EST	HAND AMEND NAMIBIAN AIP THE FOLLWING PAGES: 1. FYLZ AD 2-1 DATED 21 MAR 2024, FYLZ 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA ROW 4. MAG VAR TO READ 17 (DEGREE) W (2025) 2. FYLZ AD 2-9 DATED 23 APR 2020, INSTRUMENT APPROACH CHART - ICAO MAG VAR TO READ 17 (DEGREE) W (2025) 3. FYLZ AD 2-11 DATED 23 APR 2020, INSTRUMENT APPROACH CHART - ICAO MAG VAR TO READ 17 (DEGREE) W (2025) 4. FYLZ AD 2-13 DATED 23 APR 2020, INSTRUMENT APPROACH CHART - ICAO MAG VAR TO READ 17 (DEGREE) W (2025) THE ACTUAL RWY BEARING WITH THE MAG VAR IS 034.22/214.22
FYLZ	A0190/26	2604291306	2607292359 EST	HAND AMEND NAMIBIAN AIP, PAGE FYLZ AD 2-9, DATED 23 APR 2020: MOCA BTN IAF (TESUM) AND IF (LZ04I) TO NOT BELOW 1800FT MOCA BTN IAF (ETOPA) AND IF (LZ04I) TO NOT BELOW 1800FT MOCA BTN IF (LZ04I) AND FAF (LZ04F) TO NOT BELOW 1800FT
FYLZ	A0236/26	2605241500	2608182359	RNP APCH SUSPENDED, EXC FOR OPERATORS AUTH BY THE EXECUTIVE DIRECTOR TO USE THE INSTRUMENT FLIGHT PROCEDURE.
FYOA	B0137/26	2607030817	2607171630	TWR OPR HR. TUE: 04:30-06:00 AND 07:00-09:00 AND 10:00-12:30 WED: 08:30-10:00 AND 11:00-13:00 AND 14:00-16:30 THU: 08:30-10:00 AND 11:00-13:00 AND 14:00-16:30 FRI: 08:30-10:00 AND 11:00-13:00 AND 14:00-16:30 SUN: 08:30-10:00 AND 11:00-13:00 AND 14:00-16:30 SAT AND MON: NIL ATC
FYOA	B0135/26	2607010438	2610012159	AD OPR HR: MON: 0600-1500 TUE: 0430-1630 WED, THU, FRI AND SUN: 0600-1630 SAT: CLSD AFTER HR OPS CONTACT MR.E.N. SHOOMBE TEL: +264811441633 EMAIL: SHOOMBEE(A)AIRPORTS.COM.NA
FYOA	B0113/26	2606040919	2607311700	ADC TRG TAKING PLACE ON FREQ 125.6MHZ. PILOTS TO EXER PATIENCE
FYOA	B0110/26	2606030648	2608312159	BIRD CONCENTRATION PILOTS TO EXER CTN
FYOG	B0121/26	2606151018	PERM	HAND AMEND NAMIBIAN AIP, PAGE FYOG AD 2-6, DATED 27 NOV 2025. FYOG AD

				2.13 DECLARED DISTANCES, COLUMN 3. TODA (M) RWY 02: SHOULD READ:1750, COLUMN 3. TODA (M) RWY 20: SHOULD READ: 1750.COLUMN 4. ASDA (M) RWY 02: SHOULD READ:1750, COLUMN 4. ASDA (M) RWY 20: SHOULD READ: 1750.
FYOG	B0112/26	2606040845	2608312200	PAPI RWY 20 U/S
FYOG	B0100/26	2605181600	PERM	HAND AMEND NAMIBIAN AIP, PAGE FYOG AD 2-1, DATED 27 NOV 2025. FYOG 2.3 OPERATIONAL HOURS, ROW 1.AD OPERATOR SHOULD READ: MON-FRI: 0600-1400 SAT, SUN AND PUBLIC HOLIDAYS: CLOSED
FYOG	B0076/26	2604041108	PERM	THR MARKING ON RWY 20 IS AT 5.5 METERS FROM THE END OF THE PAVED RWY.
FYOG	B0075/26	2604041058	PERM	HAND AMEND NAMIBIAN AIP, PAGE FYOG AD 2-3, DATED 27 NOV 2025. FYOG 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA, ROW 1. APRON DESIGNATION, SURFACE AND STRENGTH SHOULD READ: APRON RED ZONE, ASPHALT, PCN 15/F/C/Y/T, APRON GENERAL, CONCRETE PCN 15/R/C/Y/T.
FYOG	B0074/26	2604041100	PERM	HAND AMEND NAMIBIAN AIP, PAGE FYOG AD 2-3, DATED 27 NOV 2025. FYOG 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA, ROW 2. TAXIWAY DESIGNATION, WIDTH, SURFACE AND STRENGTH SHOULD READ: TWY A, 15 M, ASPHALT, PCN 13/F/C/Y/U TWY B, 15 M, ASPHALT, PCN 13/F/C/Y/U TWY C, 15 M, ASPHALT, PCN 13/F/C/Y/U TWY D, 18 M, ASPHALT, PCN 13/F/C/Y/U
FYOP	C0120/26	2607040830	PERM	AD PERM CLSD.
FYWB	A0307/26	2607080931	PERM	HAND AMEND NAMIBIAN AIP, FYWB AD 2-8 DATED 09 JUL 2026, FYWB AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS COLUMN 6, THR ELEV 236 FT TO READ 235 FT FOR RWY 09 AND THR ELEV 315 FT TO READ 316 FT FOR RWY 27.
FYWB	A0308/26	260708094	PERM	HAND AMEND NAMIBIAN AIP, FYWB AD 2-25 DATED 28 NOV 2024, REPLACE THR ELEV 317 FT TO READ 316 FT.
FYWB	A0260/26	2606081842	2607082359	VOR APCH RWY 09 SUSPENDED, EXC FOR OPERATORS WITH ACPT RISK ASSESSMENT REFERED TO IN EXEMPTION EX-ANSSO-2026-003
FYWB	A0258/26	2606081840	2607082359	VOR APCH RWY 27 SUSPENDED, EXC FOR OPERATORS WITH ACPT RISK ASSESSMENT REFERED TO IN EXEMPTION EX-ANSSO-2026-003
FYWB	A0256/26	2606081758	2609081700	ATS OPR HR: MON AND TUE: 0830-1300 AND 1400-1530 WED, THU AND FRI: 0500-1700 SAT AND SUN: 0830-1300 AND 1400-1530

FYWB	A0224/26	2605181802	2607082359	HAND AMEND NAMIBIAN AIP, PAGE FYWB AD 2-10, DATED 19 MAR 2026. FYWB AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY. ROW 5, COLUMN 2, SHOULD READ: NIL AERODROME IDENTIFICATION BEACON SIGNALLING LAMP IS LOCATED IN THE ATC TOWER 2 X 380KVA CUMMINS GENERATORS SET, WITH A CAPACITY OF 5000L DIESEL. THE POWER IS DISTRIBUTED TO THE RUNWAY, TAXIWAY, APPROACH LIGHTING, TERMINAL BUILDING, HANGARS, PAPI LIGHTING, ATC CONTROL TOWER, METEOROLOGICAL EQUIPMENT, FIRE STATION, VOR, GLIDESLOPE, LOCALIZER AND RECEIVER STATION.
FYWB	A0198/26	2605070942	2607312359	RNP APCH SUSPENDED, EXC FOR OPERATORS WITH ACPT RISK ASSESMENT REFERED TO IN EXEMPTION EX-ANSSO 2026-01
FYWB	A0141/26	2603240950	PERM	HAND AMEND NAMIBIAN AIP, FYWB AD 2-6 DATED 19 MAR 2026, FYWB AD 2.10 AERODROME OBSTACLES, AREA 2, THE FOLLOWING OBSTACLES ARE REMOVED: MILITARY: TWR E 225852.31S0143920.77E TWR W 225850.36S0143922.63E
FYWE	A0311/26	2607090000	2607232359	TRIGGER NOTAM AIRAC AIP AMDT A02/2026 WEF 2607090000 TILL PERM. FYWE AD 2. AERODROME, NEW AREA 2C OBSTACLES.
FYWE	A0290/26	2606251500	2607311500	VFR ROUTE 2 TEMPO SUSPENDED
FYWE	A0280/26	2606220500	2607311500	LIVE FIRING EXER TAKING PLACE AT LUIPERDZ VALLEI GALLERY SHOOTING RANGE DEFINED BY THE FLW COORD: 223935S0170541E 223951S0170607E 224059S0170635E 224111S0170620E 224113S0170530E 224006S0170522E JUN 22-JUL 31 0500-1500 EXC JUN 27-28 JUL 04-05 11-12 18-19 25-26 GND - 1400FT AMSL
FYWE	A0264/26	2606120600	2607111600	RPAS OPS TAKING PLACE WI 0.6NM RADIUS FM CENTRE COORD: 223332.64S0170545.48E PILOTS AND RPAS OPR TO EXER CTN DAILY 0500-1600 GND - 150FT AGL
FYWE	A0250/26	2606051003	2607311700	ADC TRG TAKING PLACE ON FREQ 118.7MHZ. PILOTS TO EXER PATIENCE.
FYWE	A0248/26	2606041120	2609042200	BIRD CONCENTRATION PILOTS TO EXER CTN
FYWE	A0191/26	2604291319	PERM	PERM OBST WI EROS AIRPORT VCY AREA 2C DEFINED BY THE FLW COORD: ANTENNA AT OLYMPIA/TOWER 223624.24S0170604.83E HGT AMSL 5666FT/72.18FT LGT INNER HORIZONTAL APPROACH 27

				CHINA AID TOWER/TOWER 223905.90S0170327.97E HGT AMSL 6240FT/114.83FT MARKED AND LGT INNER HORIZONTAL 01/19 INNER HORIZONTAL 09/27 CHINA AID RADOM/EQUIPMENT 223905.90S0170327.97E HGT AMSL 6240FT/45.93FT MARKED AND LGT INNER HORIZONTAL 01/19 INNER HORIZONTAL 09/27 841 DURISSA ST BLDG/STRUCTURE 223713.40S0170643.00E HGT AMSL 5833FT/26.25FT NIL MARKING/LGT INNER HORIZONTAL 09/27. PILOTS TO EXER CTN.
FYWE	A0181/26	2604240600	2607301500	TEMP OBSTRUCTION ERECTED IN THE VCY OF FYWE AD DEFINED BY THE FLW COORD 223532.53S0170433.26E DAILY 0500-1300 GND - 5600FT AMSL
FYWF	C0122/26	2607101030	2607101430	BLASTING TAKING PLACE AT LANGER HEINRICH URANIUM MINE WI 0.5NM FM THE FLW COORD: 224903.89S0152325.22E GND-3200FT AMSL
FYWF	C0121/26	2607081030	2607081430	BLASTING TAKING PLACE AT LANGER HEINRICH URANIUM MINE WI 0.5NM FM THE FLW COORD: 224906.70S0152331.66E 224916.83S0152320.10E GND - 3200FT AMSL
FYWF	A0305/26	2607070600	2607101620	UAV OPS TAKING PLACE IN THE VCY OF WALVIS BAY DEFINED BY THE FLW COORD: 232713.93S0145734.56E 230532.51S0140623.20E 232419.03S0135644.60E 241758.34S0140027.22E 241619.22S0155836.73E 232153.78S0155608.37E 230559.78S0143126.13E PILOTS TO EXER CTN DAILY 0600-1620 GND-15000FT AMSL
FYWF	A0304/26	2607041001	2608141500	FYR 133 ACT DAILY 0600-1500 GND - 3000FT AGL
FYWF	A0282/26	2606220629	2607311600	RPAS OPS TAKING PLACE IN THE VCY OF FYAR DEFINED BY THE FLW COORD: 222540.99S0150250.07E 222852.54S0150527.66E 223037.99S0152039.41E 222700.86S0150026.51E PILOTS TO EXER CTN GND-600FT AGL
FYWF	C0085/26	2605110500	2607141700	AERIAL SURVEY TAKING PLACE IN THE VCY OF FYKR WI THE AREA DEFINED BY THE FLW COORD:

				195934S0164306E 195913A0164828E 200417.52S0164306.39E 200226.76S0164800.49E PILOTS TO EXER CTN. DAILY 0500-1700 GND - 400FT AGL
FYWF	A0112/26	2602251820	PERM	HAND AMEND NAMIBIAN AIP; PAGE ENR 5.1-1 DATED 17 SEP 2015: ENR 5. NAVIGATION WARNINGS, ENR 5.1 PROHIBITED, RESTRICTED AND DANGER AREAS RESTRICTED AREAS, FYR97 WALVIS BAY HARBOUR SHOULD READ FYR97 225500.00S0142800.00E RADIUS:3.5NM.
FYWF	A0100/26	2602231613	PERM	HAND AMEND NAMIBIAN AIP; PAGE ENR 6-1 DATED 19 MAR 2026: FYP97 SHOULD READ FYR97 AND LATERAL LIMITS 500FT AGL TO READ 500FT AMSL
FYWH	A0306/26	2607071857	PERM	HAND AMEND NAMIBIAN AIP AS FOLLOWS: FYWH AD 2-31 DATED 15 MAY 2025, FYWH AD 2-33 DATED 09 JULY 2026, FYWH AD 2-35 DATED 09 JULY 2026, AND FYWH AD 2-41 DATED 15 MAY 2025 REPLACE AERODROME ELEV 5643 FT WITH AERODROME ELEV 5641 FT ON ALL THE ABOVE PAGES.
FYWH	A0301/26	2606301042	2607202200	WHV 114.5 MHZ U/S
FYWH	A0284/26	2607090000	PERM	AIRAC AIP AMDT 02/26 DATED 14 MAY 2026, EFFECTIVE 09 JUL 2026, IS CORRECTED AS FOLLOWS: FYWH AD 2-35, FAF ALTITUDE SHOULD BE 7430(1787) FT INSTEAD OF 8000(2357) FT.
FYWH	A0259/26	2606081841	2607082359	CIRCLING VOR RWY 26 SUSPENDED, EXC FOR OPERATORS WITH ACPT RISK ASSESSMENT REFERED TO IN EXEMPTION EX-ANSSO-2026-003
FYWH	A0257/26	2606081838	2607082359	ILS OR LOC RWY 26 SUSPENDED, EXC FOR OPERATORS WITH ACPT RISK ASSESSMENT REFERED TO IN EXEMPTION EX-ANSSO-2026-003
FYWH	A0241/26	2606010300	2607132100	AD OPR HR: MON: 0300-2030 TUE-THU: 0300-1930 FRI: 0300-2030 SAT AND SUN: 0300-1930 AFTER HR OPR CONTACT MR. A GAIRISEB TEL: +264811434740 EMAIL: GAIRISEBA(A)AIRPORTS.COM.NA

Please Note:

- It is the responsibility of the operator to routinely monitor the NCAA Website for the latest NOTAM bulletin update or register with IBS for self-briefing.
- This bulletin is updated as information is provided.
- Downloaded information is to be regarded as uncontrolled copy.